


## 06B-1-2 Sprocket



Pinions	mm
Tooth Radius r3	10
Radius Width C	1
Tooth Width B1	5.3
Tooth Width B2	15.4

Chain	mm
Pitch	9.53
Inside	5.72
Roller ø	6.35

Teeth	de	dp	Simplex				Duplex			
			dm	D1	A	App. Kg	dm	D2	A	App. Kg
8	28.6	24.89	15	8	20	0.03	-	-	-	-
9	31.5	27.85	18	8	20	0.04	18	8	25	0A
10	34.5	30.82	20	8	20	0.06	20	8	25	0.11
11	37.5	33.8	22	8	25	0.09	22	10	30	0.13
12	40.5	36.8	25	8	25	0.10	25	10	30	0.16
13	43.5	39.8	28	8	25	0.11	28	10	30	0.20
14	46.5	42.8	31	8	25	0.12	31	10	30	0.25
15	49.5	45.81	34	8	25	0.14	34	10	30	0.29
16	52.5	48.82	37	10	28	0.18	37	12	30	0.34
17	55.5	51.83	40	10	28	0.20	40	12	30	0.39
18	58.6	54.85	43	10	28	0.23	43	12	30	0.45
19	61.6	57.87	45	10	28	0.25	46	12	30	0.52
20	64.6	60.89	46	10	28	0.31	49	16	30	0.59
21	67.6	63.91	48	12	28	0.36	52	16	30	0.68
22	70.6	66.93	50	12	28	0.37	55	16	30	0.75
23	73.7	69.95	52	12	28	0.39	58	16	30	0.80
24	76.7	72.97	54	12	28	0.40	61	16	30	0.84
25	79.7	76	57	12	28	0.41	64	16	30	0.89
26	82.7	79.02	60	12	28	0.42	67	16	30	0.91
27	85.7	82.04	60	12	28	0.44	70	16	30	1.00
28	88.8	85.07	60	12	28	0.45	73	16	30	1.07
29	91.8	88.09	60	12	28	0.47	76	16	30	1.14
30	94.8	91.12	60	12	28	0.48	79	16	30	1.22
31	97.9	94.15	65	14	30	0.51	-	-	-	-
32	100.9	97.17	65	14	30	0.56	-	-	-	-
33	103.9	100.2	65	14	30	0.62	-	-	-	-
34	106.9	103.2	65	14	30	0.66	-	-	-	-
35	110	106.3	65	14	30	0.68	-	-	-	-
36	113	109.3	70	16	30	0.71	-	-	-	-
37	116	112.3	70	16	30	0.74	-	-	-	-
38	119	115.3	70	16	30	0.77	90	16	30	1.72
39	122.1	118.4	70	16	30	0.79	-	-	-	-
40	125.1	121.4	70	16	30	0.81	-	-	-	-
45	140.2	136.5	75	16	30	0.91	90	19	35	2.35
48	149.7	145.6	75	16	30	-	90	20	35	-
57	176.6	172.9	75	19	30	1.27	90	20	35	3.47
76	234.2	230.5	75	19	30	1.91	90	20	38	5.67
95	291.8	288.1	75	19	30	2.61	95	25	38	8.64
114	349.4	345.7	75	19	30	3.63	95	25	38	11.12
120	-	-	-	-	-	-	-	-	-	-