



Finer Power Transmissions P/L | www.finerpt.com

08B-1-2 Taper Lock





Tooth Radius r3	13
Radius Width C	1.3
Tooth Width B1	7.2

Chain	mm
Pitch	12.7
Inside	7.75
Roller ø	8.51

			Simplex					Duplex					
Teeth												App. Kg	
14	61.9	57.07	45	22.23	1008	1	0.18	-	-	-	-	-	
15	65.9	61.09	45	22.23	1008	1	0.18	46	22.23	1008	2	0.18	
16	69.9	65.1	45	22.23	1008/ 1108	1	0.23	50	22	1008	2	OA	
17	74	69.11	60	25.40	1108/ 1210	1	0.23	56	25.40	1210	2	0.27	
18	78	73.14	62	25.40	1210	1	0.27	60	25	1210	2	OA	
19	82	77.16	63	25.40	1210	1	0.32	62	25.40	1210	2	0.36	
20	86	81.19	71	25.40	1210/ 1610	1	0.41	66	25	1610	2	OA	
21	90.1	85.22	71	25.40	1610	1	0.45	70	25.40	1610	2	0.46	
22	94.1	89.24	71	25.40	1610	1	0.50	76	25	1610	2	OA	
23	98.1	93.27	76	25.40	1610	1	0.59	79	25.40	1610	2	0.59	
24	102.1	97.29	76	25.40	1610	1	0.73	84	25	2012	2	OA	
25	106.2	101.3	76	25.40	1610	1	0.74	87	31.75	2012	2	0.77	
26	110.2	105.4	76	25.40	1610	1	0.76	87	32	2012	2	OA	
27	114.2	109.4	76	25.40	1610	1	0.78	87	31.75	2012	2	0.95	
28	118.3	113.4	76	25.40	2012	1	0.80	87	32	2012	2	OA	
29	112.3	117.5	76	25.40	2012	1	0.81	87	32	2012	2	OA	
30	126.3	121.5	90	31.75	2012	1	0.82	87	32	2012	2	1.59	
32	134.4	129.6	90	31.75	2012	1	0.87	-	-	-	-	-	
35	146.5	141.7	9.0	31.5	2012	1	0.95	-	-	-	-	-	
37*	151.0	145.7	-	-	-	-	-	87	32	2012	2	2.85	
38	158.6	153.8	90	31.75	2012	1	1.23	100	32	2012	2	3.18	
45	188.6	182.1	100	31.75	2012	1	1.46	100	32	2012	2	3.95	
48	200.7	194.2	100	31.75	2012	1	1.55	-	-	-	-	-	
50	208.8	202.3	110	31.75	2012	1	OA	-	-	-	-	-	
57	233.1	230.5	110	31.75	2012	1	2.60	110	31.75	2012	2	7.56	
76	313.9	307.3	110	31.75	2012	1	4.27	110	31.75	2012	2	15.26	
95	390.7	384.1	110	31.75	2012	1	6.88	110	31.75	2012	2	19.08	
114	467.4	460.9	110	44.45	2012/ 2517	1	10.44	110	31.75	2517	2	22.90	

08B-3 Taper Lock

Pinions	mm
Tooth Radius r3	13
Radius Width C	1.3

			Simplex					Duplex				
Teeth					Bush	Туре		dm				
27	114	109.40	78	25	1610	1	-	87	31.75	2012	3	-