

| Pulley (dw) | Grooves | Bush | d2 Max | b | d | App. Kg |
|-------------|---------|-----------|--------|----|-----|---------|
| 56 | 1 | 1008 | 25 | 38 | 54 | 0.45 |
| | 2 | 1008/1108 | 25/28 | 50 | 54 | 0.53 |
| 60 | 1 | 1008 | 25 | 16 | 64 | 0.25 |
| | 2 | 1108 | 28 | 49 | 64 | 0.6 |
| 63 | 1 | 1108 | 28 | 16 | 67 | 0.3 |
| | 2 | 1108 | 28 | 28 | 67 | 0.4 |
| | 3 | 1108 | 28 | 40 | 67 | 0.16 |
| 67 | 1 | 1108 | 28 | 16 | 71 | 0.3 |
| | 2 | 1108 | 28 | 28 | 71 | 0.42 |
| | 3 | 1108 | 28 | 40 | 71 | 0.57 |
| 71 | 1 | 1108 | 28 | 16 | 75 | 0.4 |
| | 2 | 1108 | 28 | 28 | 75 | 0.5 |
| | 3 | 1108 | 28 | 40 | 75 | 0.6 |
| 75 | 1 | 1108 | 28 | 16 | 79 | 0.5 |
| | 2 | 1210 | 32 | 28 | 79 | 0.5 |
| | 3 | 1210 | 32 | 40 | 79 | 0.6 |
| 80 | 1 | 1210 | 32 | 16 | 84 | 0.4 |
| | 2 | 1210 | 32 | 28 | 84 | 0.5 |
| | 3 | 1210 | 32 | 40 | 84 | 0.7 |
| | 4 | 1210 | 32 | 52 | 84 | 0.8 |
| 85 | 1 | 1210 | 32 | 16 | 89 | 0.5 |
| | 2 | 1610 | 42 | 28 | 89 | 0.6 |
| | 3 | 1610 | 42 | 40 | 89 | 0.8 |
| | 4 | 1610 | 42 | 52 | 89 | 0.9 |
| 90 | 1 | 1210 | 32 | 16 | 94 | 0.7 |
| | 2 | 1610 | 42 | 28 | 94 | 0.8 |
| | 3 | 1610 | 42 | 40 | 94 | 0.9 |
| | 4 | 1610 | 42 | 52 | 94 | 1.2 |
| 95 | 1 | 1210 | 32 | 16 | 99 | 0.8 |
| | 2 | 1610 | 42 | 28 | 99 | 0.9 |
| | 3 | 1610 | 42 | 40 | 99 | 1.06 |
| | 4 | 1610 | 42 | 52 | 99 | 1.2 |
| 100 | 1 | 1210 | 32 | 16 | 104 | 0.9 |
| | 2 | 1610 | 42 | 28 | 104 | 1 |
| | 3 | 1610 | 42 | 40 | 104 | 1.2 |
| | 4 | 1610 | 42 | 52 | 104 | 1.4 |
| 106 | 1 | 1610 | 42 | 16 | 110 | 1.1 |
| | 2 | 1610 | 42 | 28 | 110 | 1.2 |
| | 3 | 1610 | 42 | 40 | 110 | 1.3 |
| | 4 | 1610 | 42 | 52 | 110 | 1.7 |
| 112 | 1 | 1610 | 42 | 16 | 116 | 1.15 |
| | 2 | 1610 | 42 | 28 | 116 | 1.3 |
| | 3 | 2012 | 50 | 40 | 116 | 1.4 |
| | 4 | 2012 | 50 | 52 | 116 | 1.7 |
| 118 | 1 | 1610 | 42 | 16 | 122 | 1.2 |
| | 2 | 1610 | 42 | 28 | 122 | 1.5 |
| | 3 | 2012 | 50 | 40 | 122 | 1.6 |
| | 4 | 2012 | 50 | 52 | 122 | 2 |
| 125 | 1 | 1610 | 42 | 16 | 129 | 1.3 |
| | 2 | 1610 | 42 | 28 | 129 | 1.8 |
| | 3 | 2012 | 50 | 40 | 129 | 2 |
| | 4 | 2012 | 50 | 52 | 129 | 2.3 |

SPZ Pulleys (Taper Lock)


| Pulley (dw) | Grooves | Bush | d2 Max | b | d | App. Kg |
|-------------|---------|------|--------|----|-----|---------|
| 132 | 1 | 1610 | 42 | 16 | 136 | 1.5 |
| | 2 | 1610 | 42 | 28 | 136 | 2 |
| | 3 | 2012 | 50 | 40 | 136 | 2.4 |
| | 4 | 2012 | 50 | 52 | 136 | 2.7 |
| 140 | 1 | 1610 | 42 | 16 | 144 | 1.6 |
| | 2 | 1610 | 42 | 28 | 144 | 2.4 |
| | 3 | 2012 | 50 | 40 | 144 | 2.8 |
| | 4 | 2012 | 50 | 52 | 144 | 3.1 |
| 150 | 1 | 1610 | 42 | 16 | 154 | 2 |
| | 2 | 2012 | 50 | 28 | 154 | 2.8 |
| | 3 | 2012 | 50 | 40 | 154 | 3.4 |
| | 4 | 2517 | 65 | 52 | 154 | 3.8 |
| 160 | 1 | 1610 | 42 | 16 | 164 | 1.7 |
| | 2 | 2012 | 50 | 28 | 164 | 3.3 |
| | 3 | 2012 | 50 | 40 | 164 | 3.9 |
| | 4 | 2517 | 65 | 52 | 164 | 4.6 |
| 170 | 1 | 1610 | 42 | 16 | 174 | 1.5 |
| | 2 | 2012 | 50 | 28 | 174 | 2.4 |
| | 3 | 2012 | 50 | 40 | 174 | 3.7 |
| 180 | 1 | 1610 | 42 | 16 | 184 | 2 |
| | 2 | 2012 | 50 | 28 | 184 | 3 |
| | 3 | 2012 | 50 | 40 | 184 | 3.6 |
| | 4 | 2517 | 65 | 52 | 184 | 6.5 |
| 200 | 1 | 2012 | 50 | 16 | 204 | 2.7 |
| | 2 | 2012 | 50 | 28 | 204 | 3.3 |
| | 3 | 2012 | 50 | 40 | 204 | 4 |
| | 4 | 2517 | 65 | 52 | 204 | 5.2 |
| 224 | 1 | 2012 | 50 | 16 | 228 | 3 |
| | 2 | 2012 | 50 | 28 | 228 | 3.7 |
| | 3 | 2012 | 50 | 40 | 228 | 4.4 |
| | 4 | 2517 | 65 | 52 | 228 | 6 |
| 250 | 1 | 2012 | 50 | 16 | 254 | 2.8 |
| | 2 | 2012 | 50 | 28 | 254 | 4 |
| | 3 | 2012 | 50 | 40 | 254 | 4.6 |
| | 4 | 2517 | 65 | 52 | 254 | 7 |
| 280 | 1 | 2012 | 50 | 16 | 284 | 3.5 |
| | 2 | 2012 | 50 | 28 | 284 | 4.4 |
| | 3 | 2517 | 65 | 40 | 284 | 6.4 |
| | 4 | 2517 | 65 | 52 | 284 | 7.6 |
| 315 | 1 | 2012 | 50 | 16 | 319 | 3.8 |
| | 2 | 2012 | 50 | 28 | 319 | 5.1 |
| | 3 | 2517 | 65 | 40 | 319 | 7.4 |
| | 4 | 2517 | 65 | 52 | 319 | 8.6 |
| 355 | 1 | 2012 | 50 | 16 | 359 | 4.5 |
| | 2 | 2012 | 50 | 28 | 359 | 8.4 |
| | 3 | 2517 | 65 | 40 | 359 | 8.8 |
| | 4 | 2517 | 65 | 52 | 359 | 9.4 |
| 400 | 1 | 2012 | 50 | 16 | 404 | 4.33 |
| | 2 | 2517 | 65 | 28 | 404 | 6.9 |
| | 3 | 2517 | 65 | 40 | 404 | 8.65 |
| | 4 | 2517 | 65 | 52 | 404 | 10.23 |

SPZ Pulleys (Taper Lock)


| Pulley (dw) | Grooves | Bush | d2 Max | b | d | App. Kg |
|-------------|---------|------|--------|----|-----|---------|
| 482 | 1 | 2012 | 50 | 16 | 428 | 6.7 |
| | 2 | 2517 | 65 | 28 | 428 | 9.5 |




V-Belt Pulley




Type 1




Type 2




Type 3




Type 4




Type 5




Type 6




Type 7




Type 8



Type 9



Type 10



Type 11